

Category 6A F/UTP CMP/CMX with PVDF Jacket Superior Essex

Final Assembly: Hoisington, Kansas, USA

Life Expectancy: 30 Year(s)

End of Life Options: Salvageable/Reusable in its Entirety, Take

Back Program, Recyclable (100%), Landfill (100%)

Ingredients:

Copper: Copper; FEP: Fluorinated Ethylene Propylene; PVDF Jacket: Ftoroplast 26; Calcium tungstate(VI); Undisclosed (< 0.024%)¹; Aluminum Shield: Aluminum; Copper; Iron; Magnesium; Manganese; Nickel; Silicon; Tinned Copper: Copper; Tin; FEP Color Chip: Fluorinated Ethylene Propylene; Undisclosed (0.075-0.152%)¹; PVDF Color Chip: Ftoroplast 26; Undisclosed (< 0.015%)¹

¹LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free

% Disclosed: 99.81% at 100ppm

■ LBC Red List Approved

VOC Content: Not Applicable

□ Declared

I-10 Interior Performance: Not Applicable **I-14 Responsible Sourcing:** Not Applicable

SPX-0004 EXP. 01 JUN 2022

Original Issue Date: 2021